ELSEVIER

Journal of Organometallic Chemistry 515 (1996) 261

Journal of Organometallic Chemistry

Author Index of Volume 515

Arabatti, M., 155

Barba, L., 119
Beck, W., 173
Besace, Y., 103
Bonnardel, P.-A., 221
Breunig, H.J., 249
Bruce, M.I., 65, 143

Cassetta, A., 119
Cavell, K.J., 233
Cecchi, P., 213
Cheng, H., 1
Chihara, T., 27
Cingolani, A., 119
Cooney, J.M., 109
Cox, P.J., 253
Cuenca, T., 33

D'Arata, F., 163
Denisov, V.R., 11
Depree, C.V., 109
Desjardins, S.Y., 233
Dolgushin, F.M., 11

Eisen, M.S., 19
El Amouri, H., 103

Ferrer, M., 205
Fujino, M., 37
Furukawa, K., 37

Galakhov, M., 33
Geisbauer, A., 173
Gierling, K., 139
Gioia Lobbia, G., 213
Giordano, F., 213

Haiduc, I., 131
Herbst-Irmer, R., 43
Hey-Hawkins, E., 19
Hiller, J., 57
Hogarth, G., 193
Hoskins, B.F., 259
Hossain, M., 155
Humphrey, M.G., 89

Jain, V.K., 81
Jakkal, V.S., 81
Jaouen, G., 103
Jin, H., 233

Keppeler, B., 139
Klingebiel, U., 43
Komori, K., 27
Kumeta, K., 99

Lindenberg, F., 19
Lindner, E., 139
Low, P.J., 65

Mach, K., 57
Main, L., 109
Manimaran, Bala., 155
Marchetti, F., 119
Mathur, P., 155
Matsumoto, N., 37
Mayer, H.A., 139

Nagy, A., 249
Nakanishi, S., 99
Nicholson, B.K., 109
Niesmann, J., 43
Nikols'kii, A.B., 11
Noltemeyer, M., 43

Ogawa, H., 27
Okamoto, M., 51
Oldenburg, K., 245
Ono, Y., 51

Pang, J.Y., 193
Parish, R.V., 221
Pellei, M., 119
Pertici, P., 163
Pettinari, C., 119
Polášek, M., 57

Reina, R., 205
Robson, R., 259
Rosini, C., 163
Rösler, R., 131
Rossell, O., 205
Royo, E., 33
Royo, P., 33
Rudolph, S., 43

Santini, C., 213
Sawai, Y., 99
Seco, M., 205
Segalés, G., 205
Shipil', P.N., 11
Shribman, T., 19
Sieler, J., 19
Silvestru, C., 131
Skelton, B.W., 65, 89, 143, 233
Sowerby, D.B., 131
Stanger, A., 183
Struchkov, Yu.T., 11
Sünkel, K., 173
Sutherland, E.E., 259
Suzuki, E., 51
Szepes, L., 249
Sztáray, B., 249

Takata, T., 99
Thewalt, U., 57
Tolhurst, V.-A., 89
Toscano, R.A., 131
Trivedi, R., 155
Tunik, S.P., 11

Vaissermann, J., 103
Varga, V., 57
Vlasov, A.V., 11
Vogler, A., 245

Wakatsuki, Y., 27
Wang, H.-G., 1
Wardell, J.L., 253
Watanabe, N., 51
Waterman, S.M., 89
Weinrich, V., 173
Weismann, H., 183
White, A.H., 65, 89, 143, 233

Xi, H.-P., 1

Yanovsky, A.I., 11

Zaitseva, N.N., 143
Zhang, J.-K., 1
Zhang, W.-D., 1
Zhang, Z.-Z., 1

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 515 (1996) 263–269

Journal of Organometallic Chemistry

Subject Index of Volume 515

Ab initio MO calculations
Rotational isomerism in tetramethyldistibane studied by UV photoelectron spectroscopy (B. Sztáray, A. Nagy, L. Szepes and H.J. Breunig), 249
Acyl
Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173
Adducts
Carbonylation of iron(II) halide in the presence of chelate diphosphine ligands. Molecular structure of a novel intermolecular adduct $[FeCl_2(dppe)_2][Fe_2(CO)_2Cl_4]$ (Z.-Z. Zhang, J.-K. Zhang, W.-D. Zhang, H.-P. Xi, H. Cheng and H.-G. Wang), 1
Alkali metals
Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-}C_5HMe_4)_2Ti(\eta^1\text{-}C{\equiv}C\text{-}SiMe_3)_2]^-M^+$ (M = Li, Na, K, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57
Alkyne
Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DPPBu): syntheses and molecular structures of $[\{Mo(CO)_4(\mu\text{-DPPBu})\}_2]$ and $[\{Mo(CO)_4(\eta^2\text{-DPPBu})\}_3\{Mo(CO)\}]$ (G. Hogarth and J.Y. Pang), 193
Alkynyl
Some chemistry of $Re_2(\mu\text{-H})(\mu\text{-}C_2Ph)(CO)_8$: X-ray structures of $Re_2(\mu\text{-H})(\mu\text{-}C_2Ph)(CO)_6(PMe_3)_2$, $Re_2\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}C_2Ph)(CO)_8$, $Re_2(\mu\text{-X})(\mu\text{-dppm})(\mu\text{-}C_2Ph)(CO)_6$ [X = H, Br and $Au(PPh_3)$] and $Re_2(\mu\text{-Br})_2(\mu\text{-dppm})(CO)_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65
Allyl
A second solid-state isomer of $[(PPh_3)_2N][Ru_6C(CO)_{15}(C_3H_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27
Aminoaryl ligands
Organomercury(II) and organotin(IV) compounds with nitrogen-containing substituents (P.-A. Bonnardel and R.V. Parish), 221
Aminoesters
Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-}C_5H_4COONS)Co(CO)_2]$ (NS = N-succinimidyl) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103
Ansa-cyclopentadienyl complexes
Hydride derivatives of Group 4 metals with the *ansa*-$(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2$ ligand (T. Cuenca, M. Galakhov, E. Royo and P. Royo), 33
Antimony
Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic SbO_2P_2N and $SbOSP_2N$ rings: crystal and molecular structures of $Ph_2SbCl_2[(OPPh_2)(XPPh_2)N]$ (X = O, S) (C. Silvestru, R. Rösler, I. Haiduc, R.A. Toscano and D.B. Sowerby), 131
Rotational isomerism in tetramethyldistibane studied by UV photoelectron spectroscopy (B. Sztáray, A. Nagy, L. Szepes and H.J. Breunig), 249
Arene complexes
Photoredox chemistry of bismuth trichloride in benzene (K. Oldenburg and A. Vogler), 245
Arene–ruthenium
Synthesis and characterization of areneruthenium(II) dialkyldithiophosphate complexes: single crystal structure of $[Ru\{SSP(OEt)_2\}(\eta^6\text{-p-cymene})(PPh_3)][BPh_4]$ (V.K. Jain and V.S. Jakkal), 81
Aryl ketones
Reactions of orthomanganated aryl ketones with SO_2: synthesis and structural characterisation of a novel six-membered metallocyclic ring and a new route to aryl sulfonates (J.M. Cooney, C.V. Depree, L. Main and B.K. Nicholson), 109
Arylnickel complexes
Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233
Aryl sulfonates
Reactions of orthomanganated aryl ketones with SO_2: synthesis and structural characterisation of a novel six-membered metallocyclic ring and a new route to aryl sulfonates (J.M. Cooney, C.V. Depree, L. Main and B.K. Nicholson), 109
Azaoxasilacyclobutane
[2 + 2]-Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43
Azasilacyclobutane
[2 + 2]-Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43

Bismuth
Photoredox chemistry of bismuth trichloride in benzene (K. Oldenburg and A. Vogler), 245
Bridging ligand
A second solid-state isomer of $[(PPh_3)_2N][Ru_6C(CO)_{15}(C_3H_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27
Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DPPBu): syntheses and molecular structures of $[\{Mo(CO)_4(\mu\text{-DPPBu})\}_2]$ and $[\{Mo(CO)_4(\eta^2\text{-DPPBu})\}_3\{Mo(CO)\}]$ (G. Hogarth and J.Y. Pang), 193

Carbon disulfide
Reactions of the cationic bis(chelate)rhodium complex $[Rh(P\frown O)_2]^+$ with SO_2, CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139
Carbonyl
1,3-Asymmetric induction by planar chiral (η^4-diene)$Fe(CO)_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99
A second solid-state isomer of $[(PPh_3)_2N][Ru_6C(CO)_{15}(C_3H_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27
Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173
Pyrolysis of $Ru_3(\mu$-dppm$)(CO)_9(PPh_3)$: formation of novel Ru_4 and Ru_3 clusters (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 143
Reactions of (η^6-diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $M_4(CO)_{12}$ (M = Rh, Co) clusters with $Cr(CO)_3(\eta^6$-$PhC_2Ph)$. Crystal and molecular structure of the $Rh_4(CO)_9(\mu_5,\eta^2{:}\eta^6$-$PhC_2Ph)Cr(CO)_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11
Some chemistry of $Re_2(\mu$-H$)(\mu$-$C_2Ph)(CO)_8$: X-ray structures of $Re_2(\mu$-H$)(\mu$-$C_2Ph)(CO)_6(PMe_3)_2$, $Re_2\{\mu$-$Au(PPh_3)\}(\mu$-$C_2Ph)(CO)_8$, $Re_2(\mu$-X$)(\mu$-dppm$)(\mu$-$C_2Ph)(CO)_6$ [X = H, Br and $Au(PPh_3)$] and $Re_2(\mu$-$Br)_2(\mu$-dppm$)(CO)_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65
Synthesis, spectroscopic and structural characterisation of $\{(CO)_3Fe(\mu$-$CH_2)Se\}_2$ and $(CO)_6Fe_2\{\mu$-$Se(CH_2)_nSe\}$ (n = 1, 2) (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155
Carbonylation
Carbonylation of iron(II) halide in the presence of chelate diphosphine ligands. Molecular structure of a novel intermolecular adduct $[FeCl_2(dppe)_2][Fe_2(CO)_2Cl_4]$ (Z.-Z. Zhang, J.-K. Zhang, W.-D. Zhang, H.-P. Xi, H. Cheng and H.-G. Wang), 1
Carbonyl clusters
Electrospray mass spectrometric studies of some heterometal anionic carbonyl clusters (M. Ferrer, R. Reina, O. Rossell, M. Seco and G. Segalés), 205
Catalysis
Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233
Catalyst
Selective synthesis of triphenoxysilane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51
Catalytic activity
Synthesis, chirooptical properties and catalytic activity of diene–rhodium(I) and –iridium(I) cationic complexes containing binaphthyl, C_2-symmetric diamine ligands (P. Pertici, F. D'Arata and C. Rosini), 163
C–C bond formation
Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233
Chelation
Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DPPBu): syntheses and molecular structures of $[\{Mo(CO)_4(\mu$-DPPBu$)\}_2]$ and $[\{Mo(CO)_4(\eta^2$-DPPBu$)\}_3\{Mo(CO)\}]$ (G. Hogarth and J.Y. Pang), 193
Chromium
Reactions of (η^6-diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $M_4(CO)_{12}$ (M = Rh, Co) clusters with $Cr(CO)_3(\eta^6$-$PhC_2Ph)$. Crystal and molecular structure of the $Rh_4(CO)_9(\mu_5,\eta^2{:}\eta^6$-$PhC_2Ph)Cr(CO)_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11
Circular dichroism
Synthesis, chirooptical properties and catalytic activity of diene–rhodium(I) and –iridium(I) cationic complexes containing binaphthyl, C_2-symmetric diamine ligands (P. Pertici, F. D'Arata and C. Rosini), 163
Cluster
A second solid-state isomer of $[(PPh_3)_2N][Ru_6C(CO)_{15}(C_3H_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27
Mixed-metal cluster chemistry III. P–C activation at tungsten–triiridium cores; X-ray crystal structures of $[CpWIr_3\{\mu_3$-η^2-$PPh(C_6H_4)\}(\mu$-$CO)_2(CO)_7]$ and $[CpWIr_3\{\mu_3$-η^2-$PPh(C_6H_4)\}(\mu$-$CO)_2(CO)_6(PPh_3)]$ (S.M. Waterman, V.-A. Tolhurst, M.G. Humphrey, B.W. Skelton and A.H. White), 89
Reactions of (η^6-diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $M_4(CO)_{12}$ (M = Rh, Co) clusters with $Cr(CO)_3(\eta^6$-$PhC_2Ph)$. Crystal and molecular structure of the $Rh_4(CO)_9(\mu_5,\eta^2{:}\eta^6$-$PhC_2Ph)Cr(CO)_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11
Superlattice structure of octa-*tert*-butylpentacyclo$[4.2.0.0^{2,5}.0^{3,8}.0^{4,7}]$ octasilane found by reinvestigation of X-ray structure analysis (K. Furukawa, M. Fujino and N. Matsumoto), 37
Clusters
Pyrolysis of $Ru_3(\mu$-dppm$)(CO)_9(PPh_3)$: formation of novel Ru_4 and Ru_3 clusters (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 143
Co
Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5$-$C_5H_4COONS)Co(CO)_2]$ (NS = N-succinimidyl) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103
Copper
Selective synthesis of triphenoxysilane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51
Crystal structure
Alkyl- and aryl-sulphinylmethylgermanium compounds $Ph_3GeCH_2S(O)R$: structure of $Ph_3GeCH_2S(O)C_6H_4{}^tBu$-*p* (J.L. Wardell and P.J. Cox), 253
Bis(4-pyridylethynyl)mercury (B.F. Hoskins, R. Robson and E.E. Sutherland), 259
Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic SbO_2P_2N and $SbOSP_2N$ rings: crystal and molecular structures of $Ph_2SbCl_2[(OPPh_2)(XPPh_2)N]$ (X = O, S) (C. Silvestru, R. Rösler, I. Haiduc, R.A. Toscano and D.B. Sowerby), 131

Dinuclear phosphido- and arsenido-bridged early/late transition metal complexes. Efficient catalysts for ethylene polymerization (F. Lindenberg, T. Shribman, J. Sieler, E. Hey-Hawkins and M.S. Eisen), 19

Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233

Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DPPBu): syntheses and molecular structures of $[\{Mo(CO)_4(\mu\text{-DPPBu})\}_2]$ and $[\{Mo(CO)_4(\eta^2\text{-DPPBu})\}_3\{Mo(CO)\}]$ (G. Hogarth and J.Y. Pang), 193

Mixed-metal cluster chemistry III. P–C activation at tungsten–tri-iridium cores; X-ray crystal structures of $[CpWIr_3(\mu_3\text{-}\eta^2\text{-}PPh(C_6H_4))(\mu\text{-}CO)_2(CO)_7]$ and $[CpWIr_3(\mu_3\text{-}\eta^2\text{-}PPh(C_6H_4))(\mu\text{-}CO)_2(CO)_6(PPh_3)]$ (S.M. Waterman, V.-A. Tolhurst, M.G. Humphrey, B.W. Skelton and A.H. White), 89

Pyrolysis of $Ru_3(\mu\text{-dppm})(CO)_9(PPh_3)$: formation of novel Ru_4 and Ru_3 clusters (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 143

Reactions of (η^6-diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $M_4(CO)_{12}$ (M = Rh, Co) clusters with $Cr(CO)_3(\eta^6\text{-}PhC_2Ph)$. Crystal and molecular structure of the $Rh_4(CO)_9(\mu_5,\eta^2\text{:}\eta^6\text{-}PhC_2Ph)Cr(CO)_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11

Reactions of orthomanganated aryl ketones with SO_2: synthesis and structural characterisation of a novel six-membered metallocyclic ring and a new route to aryl sulfonates (J.M. Cooney, C.V. Depree, L. Main and B.K. Nicholson), 109

Some chemistry of $Re_2(\mu\text{-}H)(\mu\text{-}C_2Ph)(CO)_8$: X-ray structures of $Re_2(\mu\text{-}H)(\mu\text{-}C_2Ph)(CO)_6(PMe_3)_2$, $Re_2\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}C_2Ph)(CO)_8$, $Re_2(\mu\text{-}X)(\mu\text{-dppm})(\mu\text{-}C_2Ph)(CO)_6$ [X = H, Br and $Au(PPh_3)$] and $Re_2(\mu\text{-}Br)_2(\mu\text{-dppm})(CO)_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65

Superlattice structure of octa-*tert*-butylpentacyclo[4.2.0.0^{2,5}.0^{3,8}.0^{4,7}] octasilane found by reinvestigation of X-ray structure analysis (K. Furukawa, M. Fujino and N. Matsumoto), 37

Synthesis and characterization of areneruthenium(II) dialkyldithiophosphate complexes: single crystal structure of $[Ru\{SSP(OEt)_2\}(\eta^6\text{-p-cymene})(PPh_3)][BPh_4]$ (V.K. Jain and V.S. Jakkal), 81

Synthesis, spectroscopic and structural characterisation of $\{(CO)_3Fe(\mu\text{-}CH_2)Se\}_2$ and $(CO)_6Fe_2\{\mu\text{-}Se(CH_2)_nSe\}$ (n = 1, 2) (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155

Cyclopentadienyl

Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173

9,10-Dialkyl anthracene

Inter- vs. intramolecular rearrangement of a $(Bu_3P)_2Ni$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183

Dialkyldithiophophate

Synthesis and characterization of areneruthenium(II) dialkyldithiophosphate complexes: single crystal structure of $[Ru\{SSP(OEt)_2\}(\eta^6\text{-p-cymene})(PPh_3)][BPh_4]$ (V.K. Jain and V.S. Jakkal), 81

Diazaphosphasilacyclobutane

[2 + 2]-Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43

Diazasilacyclobutanone

[2 + 2]-Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43

Diels–Alder reaction

1,3-Asymmetric induction by planar chiral (η^4-diene)$Fe(CO)_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99

Diene

1,3-Asymmetric induction by planar chiral (η^4-diene)$Fe(CO)_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99

Dihydro-ethanoanthracene

Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173

Diolefin

1,3-Asymmetric induction by planar chiral (η^4-diene)$Fe(CO)_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99

Diphenylacetylene

Reactions of (η^6-diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $M_4(CO)_{12}$ (M = Rh, Co) clusters with $Cr(CO)_3(\eta^6\text{-}PhC_2Ph)$. Crystal and molecular structure of the $Rh_4(CO)_9(\mu_5,\eta^2\text{:}\eta^6\text{-}PhC_2Ph)Cr(CO)_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11

Diphosphine

Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DPPBu): syntheses and molecular structures of $[\{Mo(CO)_4(\mu\text{-DPPBu})\}_2]$ and $[\{Mo(CO)_4(\eta^2\text{-DPPBu})\}_3\{Mo(CO)\}]$ (G. Hogarth and J.Y. Pang), 193

Direct synthesis

Selective synthesis of triphenoxysilane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51

Distibane

Rotational isomerism in tetramethyldistibane studied by UV photoelectron spectroscopy (B. Sztáray, A. Nagy, L. Szepes and H.J. Breunig), 249

Dynamic behavior

Inter- vs. intramolecular rearrangement of a $(Bu_3P)_2Ni$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183

Early/late heterodinuclear phosphido- and arsenido-bridged complexes

Dinuclear phosphido- and arsenido-bridged early/late transition metal complexes. Efficient catalysts for ethylene polymerization (F. Lindenberg, T. Shribman, J. Sieler, E. Hey-Hawkins and M.S. Eisen), 19

Electrospray mass spectroscopy

Electrospray mass spectrometric studies of some heterometal anionic carbonyl clusters (M. Ferrer, R. Reina, O. Rossell, M. Seco and G. Segalés), 205

Ester complex

Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-}C_5H_4COONS)Co(CO)_2]$ (NS = N-succinimidyl) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103

Ether-phosphines

Reactions of the cationic bis(chelate)rhodium complex $[Rh(\overset{\frown}{P}\ \overset{\frown}{O})_2]^+$ with SO_2, CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139

Ethylene polymerization
Dinuclear phosphido- and arsenido-bridged early/late transition metal complexes. Efficient catalysts for ethylene polymerization (F. Lindenberg, T. Shribman, J. Sieler, E. Hey-Hawkins and M.S. Eisen), 19
Ethynyl
Bis(4-pyridylethynyl)mercury (B.F. Hoskins, R. Robson and E.E. Sutherland), 259

Fluxionality
Inter- vs. intramolecular rearrangement of a $(Bu_3P)_2Ni$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183
Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DPPBu): syntheses and molecular structures of $[\{Mo(CO)_4(\mu\text{-DPPBu})\}_2]$ and $[\{Mo(CO)_4(\eta^2\text{-DPPBu})\}_3\{Mo(CO)\}]$ (G. Hogarth and J.Y. Pang), 193

Gaussian calculations
Rotational isomerism in tetramethyldistibane studied by UV photoelectron spectroscopy (B. Sztáray, A. Nagy, L. Szepes and H.J. Breunig), 249
Germanium
Alkyl- and aryl-sulphinylmethylgermanium compounds $Ph_3GeCH_2S(O)R$: structure of $Ph_3GeCH_2S(O)C_6H_4{}^tBu\text{-}p$ (J.L. Wardell and P.J. Cox), 253
Gold
Some chemistry of $Re_2(\mu\text{-H})(\mu\text{-}C_2Ph)(CO)_8$: X-ray structures of $Re_2(\mu\text{-H})(\mu\text{-}C_2Ph)(CO)_6(PMe_3)_2$, $Re_2\{\mu\text{-Au}(PPh_3)\}(\mu\text{-}C_2Ph)(CO)_8$, $Re_2(\mu\text{-X})(\mu\text{-dppm})(\mu\text{-}C_2Ph)(CO)_6$ [X = H, Br and $Au(PPh_3)$] and $Re_2(\mu\text{-Br})_2(\mu\text{-dppm})(CO)_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65

H-bonding
Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. II. 4-Phenylimidazole derivatives. Crystal and molecular structure of [bis(4-phenylimidazole) trimethyltin(IV)] chloride (C. Pettinari, F. Marchetti, M. Pellei, A. Cingolani, L. Barba and A. Cassetta), 119
Hf
Hydride derivatives of Group 4 metals with the *ansa*-$(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2$ ligand (T. Cuenca, M. Galakhov, E. Royo and P. Royo), 33
Hg
Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of [(5-Me)Thien-2-yl]Hg-$(\mu\text{-Pz})_2B(Pz)_2$ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213
^{199}Hg-NMR
Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of [(5-Me)Thien-2-yl]Hg-$(\mu\text{-Pz})_2B(Pz)_2$ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213
Hydrides
Hydride derivatives of Group 4 metals with the *ansa*-$(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2$ ligand (T. Cuenca, M. Galakhov, E. Royo and P. Royo), 33
Hydrocarbon bridged metal complexes
Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173
Hydrogenation
Synthesis, chirooptical properties and catalytic activity of diene–rhodium(I) and –iridium(I) cationic complexes containing binaphthyl, C_2-symmetric diamine ligands (P. Pertici, F. D'Arata and C. Rosini), 163

Imidazole adducts
Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. II. 4-Phenylimidazole derivatives. Crystal and molecular structure of [bis(4-phenylimidazole) trimethyltin(IV)] chloride (C. Pettinari, F. Marchetti, M. Pellei, A. Cingolani, L. Barba and A. Cassetta), 119
Iminophosphane
[2 + 2]-Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43
Iminosilane
[2 + 2]-Cycloadditionen eines Iminosilans—Synthese viergliedriger Heterocyclen (J. Niesmann, U. Klingebiel, S. Rudolph, R. Herbst-Irmer und M. Noltemeyer), 43
Ir
Synthesis, chirooptical properties and catalytic activity of diene–rhodium(I) and –iridium(I) cationic complexes containing binaphthyl, C_2-symmetric diamine ligands (P. Pertici, F. D'Arata and C. Rosini), 163
Iridium
Mixed-metal cluster chemistry III. P–C activation at tungsten–triiridium cores; X-ray crystal structures of $[CpWIr_3\{\mu_3\text{-}\eta^2\text{-PPh}(C_6H_4)\}(\mu\text{-CO})_2(CO)_7]$ and $[CpWIr_3\{\mu_3\text{-}\eta^2\text{-PPh}(C_6H_4)\}(\mu\text{-CO})_2(CO)_6(PPh_3)]$ (S.M. Waterman, V.-A. Tolhurst, M.G. Humphrey, B.W. Skelton and A.H. White), 89
Iron
1,3-Asymmetric induction by planar chiral $(\eta^4\text{-diene})Fe(CO)_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99
Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173
Synthesis, spectroscopic and structural characterisation of $\{(CO)_3Fe(\mu\text{-}CH_2)Se\}_2$ and $(CO)_6Fe_2\{\mu\text{-Se}(CH_2)_nSe\}$ (n = 1, 2) (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155
Iron halides
Carbonylation of iron(II) halide in the presence of chelate diphosphine ligands. Molecular structure of a novel intermolecular adduct $[FeCl_2(dppe)_2][Fe_2(CO)_2Cl_4]$ (Z.-Z. Zhang, J.-K. Zhang, W.-D. Zhang, H.-P. Xi, H. Cheng and H.-G. Wang), 1
Isomer
A second solid-state isomer of $[(PPh_3)_2N][Ru_6C(CO)_{15}(C_3H_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27

Ketone
1,3-Asymmetric induction by planar chiral $(\eta^4\text{-diene})Fe(CO)_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99
Kinetics
Inter- vs. intramolecular rearrangement of a $(Bu_3P)_2Ni$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183

Manganese
Reactions of orthomanganated aryl ketones with SO_2: synthesis and structural characterisation of a novel six-membered metallocyclic ring and a new route to aryl sulfonates (J.M. Cooney, C.V. Depree, L. Main and B.K. Nicholson), 109
Mercury
Bis(4-pyridylethynyl)mercury (B.F. Hoskins, R. Robson and E.E. Sutherland), 259

Organomercury(II) and organotin(IV) compounds with nitrogen-containing substituents (P.-A. Bonnardel and R.V. Parish), 221

Metallacycle

Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic SbO_2P_2N and $SbOSP_2N$ rings: crystal and molecular structures of $Ph_2SbCl_2[(OPPh_2)(XPPh_2)N]$ (X = O, S) (C. Silvestru, R. Rösler, I. Haiduc, R.A. Toscano and D.B. Sowerby), 131

Metallocycle

Reactions of orthomanganated aryl ketones with SO_2: synthesis and structural characterisation of a novel six-membered metallocyclic ring and a new route to aryl sulfonates (J.M. Cooney, C.V. Depree, L. Main and B.K. Nicholson), 109

Metal–metal bonds

Electrospray mass spectrometric studies of some heterometal anionic carbonyl clusters (M. Ferrer, R. Reina, O. Rossell, M. Seco and G. Segalés), 205

Methylene

Synthesis, spectroscopic and structural characterisation of $\{(CO)_3Fe(\mu\text{-}CH_2)Se\}_2$ and $(CO)_6Fe_2\{\mu\text{-}Se(CH_2)_nSe\}$ ($n = 1, 2$) (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155

Molybdenum

Linking metal centres with 1,4-bis(diphenylphosphino)but-2-yne (DPPBu): syntheses and molecular structures of $[\{Mo(CO)_4(\mu\text{-}DPPBu)\}_2]$ and $[\{Mo(CO)_4(\eta^2\text{-}DPPBu)\}_3\{Mo(CO)\}]$ (G. Hogarth and J.Y. Pang), 193

Nickel

Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233

Inter- vs. intramolecular rearrangement of a $(Bu_3P)_2Ni$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183

Nuclear magnetic resonance

Inter- vs. intramolecular rearrangement of a $(Bu_3P)_2Ni$ moiety in its 9-alkyl and 9,10-dialkyl anthracene complexes. Limiting conditions and isomer stabilities (A. Stanger and H. Weismann), 183

Organomercury(II) and organotin(IV) compounds with nitrogen-containing substituents (P.-A. Bonnardel and R.V. Parish), 221

Octamethyltitanocene

Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-}C_5HMe_4)_2Ti(\eta^1\text{-}C{\equiv}C\text{-}SiMe_3)_2]^-M^+$ (M = Li, Na, K, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57

Octasilacubane

Superlattice structure of octa-*tert*-butylpentacyclo[4.2.0.$0^{2,5}$.$0^{3,8}$.$0^{4,7}$] octasilane found by reinvestigation of X-ray structure analysis (K. Furukawa, M. Fujino and N. Matsumoto), 37

Olefin insertion

Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233

Organomercury(II) compounds

Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of $[(5\text{-}Me)Thien\text{-}2\text{-}yl]Hg\text{-}(\mu\text{-}Pz)_2B(Pz)_2$ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213

Organometallic carboxylic acid

Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-}C_5H_4COONS)Co(CO)_2]$ (NS = N-succinimidyl) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103

Organosilane

Selective synthesis of triphenoxysilane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51

Orthometallation

Mixed-metal cluster chemistry III. P–C activation at tungsten–triiridium cores; X-ray crystal structures of $[CpWIr_3\{\mu_3\text{-}\eta^2\text{-}PPh(C_6H_4)\}(\mu\text{-}CO)_2(CO)_7]$ and $[CpWIr_3\{\mu_3\text{-}\eta^2\text{-}PPh(C_6H_4)\}(\mu\text{-}CO)_2(CO)_6(PPh_3)]$ (S.M. Waterman, V.-A. Tolhurst, M.G. Humphrey, B.W. Skelton and A.H. White), 89

Oxidation

Reactions of the cationic bis(chelate)rhodium complex $[Rh(P\frown O)_2]^+$ with SO_2, CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139

Oxoimidophosphinic acids

Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic SbO_2P_2N and $SbOSP_2N$ rings: crystal and molecular structures of $Ph_2SbCl_2[(OPPh_2)(XPPh_2)N]$ (X = O, S) (C. Silvestru, R. Rösler, I. Haiduc, R.A. Toscano and D.B. Sowerby), 131

Phenol

Selective synthesis of triphenoxysilane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51

Phosphine

Some chemistry of $Re_2(\mu\text{-}H)(\mu\text{-}C_2Ph)(CO)_8$: X-ray structures of $Re_2(\mu\text{-}H)(\mu\text{-}C_2Ph)(CO)_6(PMe_3)_2$, $Re_2\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}C_2Ph)(CO)_8$, $Re_2(\mu\text{-}X)(\mu\text{-}dppm)(\mu\text{-}C_2Ph)(CO)_6$ [X = H, Br and $Au(PPh_3)$] and $Re_2(\mu\text{-}Br)_2(\mu\text{-}dppm)(CO)_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65

Photochemistry

Photoredox chemistry of bismuth trichloride in benzene (K. Oldenburg and A. Vogler), 245

Photoelectron spectroscopy

Rotational isomerism in tetramethyldistibane studied by UV photoelectron spectroscopy (B. Sztáray, A. Nagy, L. Szepes and H.J. Breunig), 249

Planar chiral

1,3-Asymmetric induction by planar chiral $(\eta^4\text{-diene})Fe(CO)_3$ complexes in Diels–Alder reaction (S. Nakanishi, K. Kumeta, Y. Sawai and T. Takata), 99

Polypyrazolylborates

Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of $[(5\text{-}Me)Thien\text{-}2\text{-}yl]Hg\text{-}(\mu\text{-}Pz)_2B(Pz)_2$ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213

Pyrolysis

Pyrolysis of $Ru_3(\mu\text{-}dppm)(CO)_9(PPh_3)$: formation of novel Ru_4 and Ru_3 clusters (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 143

Rh

Synthesis, chirooptical properties and catalytic activity of diene–rhodium(I) and –iridium(I) cationic complexes containing binaphthyl, C_2-symmetric diamine ligands (P. Pertici, F. D'Arata and C. Rosini), 163

Rhenium

Some chemistry of $Re_2(\mu\text{-}H)(\mu\text{-}C_2Ph)(CO)_8$: X-ray structures of $Re_2(\mu\text{-}H)(\mu\text{-}C_2Ph)(CO)_6(PMe_3)_2$, $Re_2\{\mu\text{-}Au(PPh_3)\}(\mu\text{-}C_2Ph)(CO)_8$, $Re_2(\mu\text{-}X)(\mu\text{-}dppm)(\mu\text{-}C_2Ph)(CO)_6$ [X = H, Br and $Au(PPh_3)$] and $Re_2(\mu\text{-}Br)_2(\mu\text{-}dppm)(CO)_6$ (M.I. Bruce, P.J. Low, B.W. Skelton and A.H. White), 65

^{103}Rh NMR
Reactions of the cationic bis(chelate)rhodium complex $[Rh(P\frown O)_2]^+$ with SO_2, CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139
Rhodium
Reactions of (η^6-diphenylacetylene) chromiumtricarbonyl complexes with polynuclear carbonyls. III. Reactions of $M_4(CO)_{12}$ (M = Rh, Co) clusters with $Cr(CO)_3(\eta^6\text{-}PhC_2Ph)$. Crystal and molecular structure of the $Rh_4(CO)_9(\mu_5,\eta^2{:}\eta^6\text{-}PhC_2Ph)Cr(CO)_3$ cluster (S.P. Tunik, P.N. Shipil', A.V. Vlasov, V.R. Denisov, A.B. Nikols'kii, F.M. Dolgushin, A.I. Yanovsky and Yu.T. Struchkov), 11
Reactions of the cationic bis(chelate)rhodium complex $[Rh(P\frown O)_2]^+$ with SO_2, CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139
Ruthenium
A second solid-state isomer of $[(PPh_3)_2N][Ru_6C(CO)_{15}(C_3H_5)]$: shift of the carbonyl and allyl positions on large cluster cores by crystal-packing force (T. Chihara, K. Komori, H. Ogawa and Y. Wakatsuki), 27
Pyrolysis of $Ru_3(\mu\text{-dppm})(CO)_9(PPh_3)$: formation of novel Ru_4 and Ru_3 clusters (M.I. Bruce, N.N. Zaitseva, B.W. Skelton and A.H. White), 143
Synthesis and characterization of areneruthenium(II) dialkyldithiophosphate complexes: single crystal structure of $[Ru\{SSP(OEt)_2\}(\eta^6\text{-p-cymene})(PPh_3)][BPh_4]$ (V.K. Jain and V.S. Jakkal), 81

Selenium
Synthesis, spectroscopic and structural characterisation of $\{(CO)_3Fe(\mu\text{-}CH_2)Se\}_2$ and $(CO)_6Fe_2\{\mu\text{-}Se(CH_2)_nSe\}$ (n = 1, 2) (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155
Si
Hydride derivatives of Group 4 metals with the *ansa*-$(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2$ ligand (T. Cuenca, M. Galakhov, E. Royo and P. Royo), 33
Silicon
Selective synthesis of triphenoxysilane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51
Superlattice structure of octa-*tert*-butylpentacyclo[4.2.0.0^{2,5}.0^{3,8}.0^{4,7}] octasilane found by reinvestigation of X-ray structure analysis (K. Furukawa, M. Fujino and N. Matsumoto), 37
Silylcyclopentadienyls
Hydride derivatives of Group 4 metals with the *ansa*-$(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2$ ligand (T. Cuenca, M. Galakhov, E. Royo and P. Royo), 33
Sn
Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. II. 4-Phenylimidazole derivatives. Crystal and molecular structure of [bis(4-phenylimidazole) trimethyltin(IV)] chloride (C. Pettinari, F. Marchetti, M. Pellei, A. Cingolani, L. Barba and A. Cassetta), 119
Sulfoxide
Alkyl- and aryl-sulphinylmethylgermanium compounds $Ph_3GeCH_2S(O)R$: structure of $Ph_3GeCH_2S(O)C_6H_4{}^tBu\text{-}p$ (J.L. Wardell and P.J. Cox), 253
Sulfur dioxide
Reactions of the cationic bis(chelate)rhodium complex $[Rh(P\frown O)_2]^+$ with SO_2, CS_2 and O_2/SO_2 (E. Lindner, B. Keppeler, H.A. Mayer and K. Gierling), 139
Sulphinylmethyl derivatives
Alkyl- and aryl-sulphinylmethylgermanium compounds $Ph_3GeCH_2S(O)R$: structure of $Ph_3GeCH_2S(O)C_6H_4{}^tBu\text{-}p$ (J.L. Wardell and P.J. Cox), 253
Superlattice structure
Superlattice structure of octa-*tert*-butylpentacyclo[4.2.0.0^{2,5}.0^{3,8}.0^{4,7}] octasilane found by reinvestigation of X-ray structure analysis (K. Furukawa, M. Fujino and N. Matsumoto), 37
Synthesis
Insertion into the nickel–carbon bond of N–O chelated arylnickel(II) complexes. The development of single component catalysts for the oligomerisation of ethylene (S.Y. Desjardins, K.J. Cavell, H. Jin, B.W. Skelton and A.H. White), 233
Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-}C_5H_4COONS)Co(CO)_2]$ (NS = N-succinimidyl) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103

Thienylmercury(II) derivatives
Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of $[(5\text{-Me})Thien\text{-}2\text{-yl}]Hg\text{-}(\mu\text{-}Pz)_2B(Pz)_2$ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213
Thioimidophosphinic acids
Dichlorodiphenylantimony(V) derivatives of oxo- and thioimidodiphosphinic acids, containing novel inorganic SbO_2P_2N and $SbOSP_2N$ rings: crystal and molecular structures of $Ph_2SbCl_2[(OPPh_2)(XPPh_2)N]$ (X = O, S) (C. Silvestru, R. Rösler, I. Haiduc, R.A. Toscano and D.B. Sowerby), 131
Tin
Organomercury(II) and organotin(IV) compounds with nitrogen-containing substituents (P.-A. Bonnardel and R.V. Parish), 221
Titanium(III)
Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-}C_5HMe_4)_2Ti(\eta^1\text{-}C{\equiv}C\text{-}SiMe_3)_2]^-M^+$ (M = Li, Na, K, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57
Titanium tweezer
Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-}C_5HMe_4)_2Ti(\eta^1\text{-}C{\equiv}C\text{-}SiMe_3)_2]^-M^+$ (M = Li, Na, K, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57
Trimethylsilylethynyl arms
Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-}C_5HMe_4)_2Ti(\eta^1\text{-}C{\equiv}C\text{-}SiMe_3)_2]^-M^+$ (M = Li, Na, K, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57
Trimethyltin chloride
Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. II. 4-Phenylimidazole derivatives. Crystal and molecular structure of [bis(4-phenylimidazole) trimethyltin(IV)] chloride (C. Pettinari, F. Marchetti, M. Pellei, A. Cingolani, L. Barba and A. Cassetta), 119
Triphenoxysilane
Selective synthesis of triphenoxysilane by the reaction of metallic silicon with phenol using copper(I) chloride as the catalyst (M. Okamoto, N. Watanabe, E. Suzuki and Y. Ono), 51
Tungsten
Mixed-metal cluster chemistry III. P–C activation at tungsten–triiridium cores; X-ray crystal structures of $[CpWIr_3\{\mu_3\text{-}\eta^2\text{-}PPh(C_6H_4)\}(\mu\text{-}CO)_2(CO)_7]$ and $[CpWIr_3\{\mu_3\text{-}\eta^2\text{-}PPh(C_6H_4)\}(\mu\text{-}CO)_2(CO)_6(PPh_3)]$ (S.M. Waterman, V.-A. Tolhurst, M.G. Humphrey, B.W. Skelton and A.H. White), 89

X-ray diffraction
Synthesis, spectroscopic and structural characterisation of $\{(CO)_3Fe(\mu\text{-}CH_2)Se\}_2$ and $(CO)_6Fe_2\{\mu\text{-}Se(CH_2)_nSe\}$ (n = 1, 2) (P. Mathur, Bala. Manimaran, R. Trivedi, M. Hossain and M. Arabatti), 155

X-ray structure
Hydrocarbon bridged metal complexes. XXXIV. Synthesis, structure and attempted decarbonylation of a *trans* 11,12-bis(dicarbonylcyclopentadienylironacyl) substituted dihydro 9,10-ethanoanthracene (V. Weinrich, A. Geisbauer, K. Sünkel and W. Beck), 173
Metal polypyrazolylborates. X. Thienylmercury(II) derivatives: the X-ray crystal structure of [(5-Me)Thien-2-yl]Hg-(μ-Pz)$_2$B(Pz)$_2$ (G. Gioia Lobbia, P. Cecchi, F. Giordano and C. Santini), 213
Synthesis and structure of titanium(III) tweezer complexes with embedded alkali metal ions: $[(\eta^5\text{-}C_5HMe_4)_2Ti(\eta^1\text{-}C{\equiv}C\text{-}SiMe_3)_2]^-M^+$ (M = Li, Na, K, and Cs) (V. Varga, J. Hiller, M. Polášek, U. Thewalt and K. Mach), 57
Synthesis, reactivity and X-ray molecular structure of the activated ester complex $[(\eta^5\text{-}C_5H_4COONS)Co(CO)_2]$ (NS = N-succinimidyl) (H. El Amouri, Y. Besace, J. Vaissermann and G. Jaouen), 103
Tin(IV) and organotin(IV) complexes containing mono or bidentate N-donor ligands. II. 4-Phenylimidazole derivatives. Crystal and molecular structure of [bis(4-phenylimidazole) trimethyltin(IV)] chloride (C. Pettinari, F. Marchetti, M. Pellei, A. Cingolani, L. Barba and A. Cassetta), 119

Zirconocene
Dinuclear phosphido- and arsenido-bridged early/late transition metal complexes. Efficient catalysts for ethylene polymerization (F. Lindenberg, T. Shribman, J. Sieler, E. Hey-Hawkins and M.S. Eisen), 19

Zr
Hydride derivatives of Group 4 metals with the *ansa*-$(SiMe_2)_2(\eta^5\text{-}C_5H_3)_2$ ligand (T. Cuenca, M. Galakhov, E. Royo and P. Royo), 33